

ACURAINTEGRA TYPE-R



Integratyper.org



FEEL THE POWER OF A PURPOSE-BUILT MACHINE. Like a fighter


UTTING ITS REPUTATION ON THE FINISH LINE.

In highly demanding racing competitions, the Integra Type-R has captured the Drivers' and Manufacturers' titles three years in a row (1997-99). Proof positive that the Type-R doesn't just set the sports coupe standard. It sets the pace, too.



jet built for low-flying sorties, the Acura Integra Type-R is equipped to meet the demands of the true driving enthusiast. Like a hand-assembled VTEC engine rated at 195 hp (25 more than the GS-R). A large-diameter throttle body, single-port intake manifold and hand-polished intake ports to maximize engine airflow and high-rpm efficiency. A slick close-ratio five speed gearbox designed to put that power where it belongs — on the pavement. A firm, Formula One-inspired suspension and helical limited-slip differential to corner faster than many high-end sports cars. And

fade-resistant, large-diameter disc brakes for the most demanding conditions. The Type-R does not disappoint.



STRAP ON THE ACURA INTEGRA TYPE-R. The Acura Integra Type-R

boasts an arsenal of high-performance technology gleaned from decades of racing experience. Like a lightweight flywheel for improved throttle response. A lower suspension with stiffer springs and firmer shocks for high g-force cornering. A stiffened body structure for exceptional rigidity and suspension control. A pronounced chin spoiler for improved aerodynamics. A reduced vehicle weight that's 35 pounds lighter than the Integra GS-R. And a "no excuses" cockpit designed to make driver and car as one.

SETTING NEW
STANDARDS. In addition
to new, lightweight, dark
silver aluminum wheels,
the Integra Type-R now
sports two new colors
(Flamenco Black Pearl
and Phoenix Yellow),
a titanium-finish shift
knob, and carbon fiberstyled vents and trim.

The Acura Integra Type-R. For those who need to fly.



THE MOST THRILLING INTEGRA EVER BUILT.

Inspired by a proud racing heritage, the Type-R is a true driver's car that ups the power and performance ante for which the Acura Integra is justly renowned.

TYPE-R ENGINEERING FEATURES

- ▶195-horsepower, 1.8-liter, 16-valve, DOHC, in-line 4-cylinder engine
- > High-volume intake manifold, hand-polished intake ports
- > Twin-coil intake valve springs with oval cross-section for high lift
- Lightweight, high-flow intake valves
- High-lift, high-strength camshafts
- Lightweight, high-strength connecting rods
- High-rigidity, 8-counterweight crankshaft
- High-compression (10.6:1), low-friction pistons
- High-volume airbox with repositioned intake
- ► High-flow exhaust system 30% improvement
- ► Torque-sensitive helical limited-slip differential
- ▶15 mm lower suspension with 8 mm larger rear stabilizer bar (22 mm total), revised caster and camber settings, and harder bushings
- ► Increased diameter disc brakes 11.1 in fr (282 mm), 10.2 in rr (260 mm)
- Front suspension aluminum tower bar
- Rear performance brace

SPECIFICATIONS

1.8-liter, 16-valve, DOHC, in-line 4-cylinder ENGINE TYPE

REDLINE 8400 rpm FUEL CUTOFF 8500 rpm HORSEPOWER, SAE NET 195 hp @ 8000 rpm 130 lbs-ft @ 7500 rpm TORQUE, SAE NET

3.19 in x 3.43 in (81 mm x 87.2 mm) BORE & STROKE

DISPLACEMENT 1797 cc (110 cu in)

COMPRESSION RATIO 10.6:1

INDUCTION SYSTEM Programmed Fuel Injection (PGM-FI)

with single-port intake manifold.

4 valves per cylinder, dual overhead VALVETRAIN camshafts driven by a single belt with Variable Valve Timing and Lift

Electronic Control (VTEC)

ENGINE BLOCK Aluminum alloy with east-in iron

cylinder liners

CYLINDER HEAD Aluminum alloy EMISSION CONTROL 3-way catalytic converter **IGNITION SYSTEM** Electronic ignition with knock sensor

RECOMMENDED FUEL Premium unleaded

STEERING TYPE Variable power-assisted, rack-and-pinion with rotary-valve steering gear

STEERING RATIO

6.0 JJ x 15 cast-aluminum alloy WHEELS Bridgestone Potenza RE010 TIRES

195/55 R15 84V*

BRAKING SYSTEM Dual-diagonal, power-assisted, 4-wheel disc brakes with ABS

POWERTRAIN

Transverse-mounted front engine/front wheel drive with equal-length halfshafts TYPE

Ratio (:1) TRANSMISSION

3.230 İst 2.105 2nd 1.458 3rd 4th 1.107 5th 0.848 Reverse 3.000 Final Drive

ACURA

199 Acura Division of American Honda Motor Co, Inc. Acura, Integra and INTEG are hisdemarks of Honda Motor Co, Specifications, festives, Numericans and Equipment shown of this catalog are based upon the latest available

Lot, specifications, restries, tumentation and augument shown in this calledgrafe best accoming information at the first of publication. Although descriptions are believed to the correct, according carnot be guaranteed. American Honda Motor Co. Inc. reserves the right to make changes at any time without notice or obligation, in calory specifications, accessories, materials and models. See the Actura integer Accessories brochare for a full list of optional equipment. Call 1-800-TD-ACURA or visit www.acura.com for the dealer newest you. Make an intelligent decision Fastan your seat both Printed in the USA.

40M 9/98 E4004



- ► Type-R-exclusive upholstery combination
- Leather-wrapped steering wheel
- Air conditioning
- Titanium-finish gearshift knob
- Amber instrument illumination
- Center console with armrest and Type-R numbered plaque
- Power windows
- Power door locks
- Driver's seat lumbar adjustment
- AM/FM stereo/CD with 6 speakers and power antenna

EXTERIOR FEATURES

- > 5-lug, lightweight aluminum-alloy wheels
- Wing-type rear spoiler
- Figure 1 Type-R decals/emblems
- Body-colored front chin spoiler, side sills, front and rear bumpers
- Projector beam headlights (low beams)
- Dual power door mirrors
- Phoenix Yellow or Flamenco Black Pearl exterior finish

SAFETY FEATURES

- ▶ 4-wheel Anti-Lock Braking System (ABS)
- Driver's and front passenger's air bag Supplemental Restraint System (SRS)
- Side-impact door beams and hip pads
- > 3-point outboard seat belts
- ► 5-mph bumpers (front/rear)
- Front and rear crumple zones



EXTERIOR DIMENSIONS

WHEELBASE		101.2 in	(2570 mm)
TRACK	Front	58.3 in	(1480 mm)
	Rear	58.1 in	(1475 mm)
LENGTH		172.4 in	(4380 mm)
WIDTH		67.3 in	(1710 mm)
HEIGHT		50.2 in	(1275 mm)
MINIMUM GROUND CLEARANCE		4.5 in	(115 mm)
CURB WEIGHT		2639 lbs	(1197 kg)
WEIGHT DISTRIBUTION		% front/rear	62/38

TYPE-R ACCESSORIES

▶ Trunk mat
▶ Floor mats
▶ Nose mask

WARRANTIES

Vehicle 4-year/50,000-mile limited warranty**

Outer Body Rust-Through 5-year/unlimited-mile limited warranty** Roadside Assistance (TLC) 4-year/50,000-mile

* The unique high-performance tires on this vehicle will wear more rapidly than normal passenger cur tires. The life may be significantly less than 18/00 miles, depending upon driving conditions. This tire's high-performance tread pattern is also not designed for winter driving. Driving it snow and on ice should be avoided.
*Octionery maintenance times or adjustments, parts subject to narrail wear and replacement, and certain other items are excluded. See your Acuna dealer for the terms and conditions of limited warranties.



